Data sheet

HP LaserJet Enterprise 600 Printer M603 series



HP's fastest workgroup laser printer, featuring reliability, extensibility, and security.

Tackle large-volume print jobs with ease, and enable printing policies with top-flight expandability. Improve security and quickly adapt to changes within your managed printing environment with a host of manageability features.



HP LaserJet Enterprise 600 Printer M603n



HP LaserJet Enterprise 600 Printer M603dn



HP LaserJet Enterprise 600 Printer M603xh

Heavy-duty reliability and breakthrough speed.

- Print at rapid speeds on a variety of paper types.
- Manage workflow with intuitive features right on the printer, and get quick prints from a flash drive.
- Produce high print volumes with low maintenance.
- Replace toner cartridges easily, and enjoy quiet, clean performance.

Outstanding energy and paper savings.

- Cut energy use as much as 45%, compared to a majority of competing laser printers.¹⁶
- Get centralized access to custom energy-saving options and printer settings with the HP EcoSMART Console.⁶
- Trim paper use by up to 50% with automatic two-sided printing.²
- Pre-installed Original HP toner cartridges reduce waste. Recycle them for free through HP Planet Partners.7

Secure printing with minimal intervention

- Protect confidential data stored on your printer, with the installed HP High-Performance Secure Hard Disk.11
- Expand your network without compromising security.
- Take control of printing practices and enforce security policies, using HP Access Control.¹⁵
- Control costs, manage IT resources, and reduce environmental impact.

Extend capabilities and print from mobile devices.


- Easily update, manage, and expand the capabilities of networked printers, and do more with your investment.
- Make printing as mobile as you are with HP ePrint.⁸
- Extend your investment by adding functionality using the hardware integration pocket.¹³

²Automatic two-sided printing is only available on the HP Laser Jet Enterprise 600 M603dh Printer and the HP Laser Jet Enterprise 600 M603kh Printer. The Automatic Two-sided Printing Accessory may be purchased separately for the HP Laser Jet Enterprise 600 M603h Printer. Additional 1 x 500-sheet paper tray available only on the HP Laser Jet Enterprise 600 M603kh Printer. ⁵May require a firmware upgrade. ⁷Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit hp.com/recycle. ⁹Requires an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device. Print times may vary. For alist of supported documents and image types, see hp.com/go/eprintcenter. Some HP Laser Jet products will require a firmware upgrade. ¹¹The HP High-Performance Secure Hard Disk is only available on the HP Laser Jet Enterprise 600 M603xh Printer. ¹³Solutions deployed through the hardware integration pocket may require additional purchase. ¹⁵HP Access Control must be purchased separately. ¹⁶Energy data used to calculate savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method vs. a majority of worldwide top-selling competitive models <\$2,299 as of March 2011 using data reported in energystar.gov and eu-energystar.gog as of July 2011. Data extended to one year. Actual results may vary.

Product walkaround

HP LaserJet Enterprise 600 Printer M603xh

- 1. Intuitive 4-line color display with 10-button keypad
- 2. Hardware Integration Pocket for solution integration
- 3. Walkup USB port
- 4. Built-in automatic two-sided printing
- 5. Convenient front on/off switch
- 6. 500-sheet output bin
- 7. One-door access to install regular or high-capacity toner cartridges
- 8. 100-sheet multipurpose tray 1 handles heavy custom media up to 53 lb bond
- 9. Two 500-sheet input trays for a 1,100-sheet total input capacity
- 10. HP Jetdirect 10/100/1000Base-TX Ethernet embedded print server
- 11. HP High Performance Secure Hard Disk
- 12. 512 MB total memory and an 800 MHz processor quickly handle complex print jobs
- 13. Hi-Speed USB 2.0 port M603n



Close-up of I/O ports

Series at a glance







HP LaserJet Enterprise 600 HP LaserJet Enterprise 600

HP LaserJet Enterprise 600 Printer M603xh

	Printer M603n	Printer M603dn	Printer M603xh
Part number	CE994A	CE995A	CE996A
Print speeds	Up to 62 ppm letter	Up to 62 ppm letter	Up to 62 ppm letter
Control panel	4-line color display, 10 key pad	4-line color display, 10 key pad	4-line color display, 10 key pad
Hardware integration pocket	Yes	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes	Yes
500-sheet tray 2	Yes	Yes	Yes
500-sheet tray 3	Optional	Optional	Yes
500-sheet output bin	Yes	Yes	Yes
Automatic two-sided printing unit	Optional	Yes	Yes
Toner cartridges supported	Regular (~ 10,000 pages) and high-capacity (~ 24,000 pages) [;]	Regular and high-capacity	Regular and high-capacity
HP high performance secure hard disk	Not available	Not available	Yes

¹Declared yield value for black cartridge in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies

Model

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

For carepack availability visit: hp.com/go/cpc











Top features

Keep your workflow moving with fast output and precision paper handling. High-capacity paper trays, plus options to add more, give capacity of up to 3600 sheets.³ Manage print jobs from the color control panel and print directly from a flash drive.

Cut energy use as much as 45%, compared to a majority of competing laser printers.¹⁶ Set and adjust printing policies based on a workgroup's real-time usage. Save paper with automatic two-sided printing.²

Lead your business to a more responsible approach to printing and handling sensitive data. HP technology helps you enforce policies, enhance security, and give your workgroup the tools to support larger business initiatives.

Extend your print capabilities to keep pace with your growing business. Get a host of mobile and direct printing options with HP ePrint.⁹ Customize new solutions seamlessly, with minimal disruption.¹³

Accessories				
CB525A	HP LaserJet P4010/P4510/600 Series Printer Stand			
CB527A	HP LaserJet 400-sheet Custom Media Cassette			
CE398A	HP LaserJet 1500-sheet Input Tray			
CE399A	HP LaserJet 75-sheet Envelope Feeder			
CE404A	HP LaserJet 500-sheet Stacker			
CE405A	HP LaserJet 500-sheet Stapler/Stacker			
CE483A	HP 512 MB 144-pin x32 DDR2 DIMM			
CE997A	HP LaserJet 500-sheet 5-bin Mailbox			
CE998A	HP LaserJet 500-sheet Input Tray Feeder			
CF062A	HP LaserJet Automatic Duplexer for Two-sided Printing Accessory			
Q3216A	HP 1000-staple Cartridge			
Supplies				
CE390A	HP 90A Black Original LaserJet Toner Cartridge (~10,000 pages)			
CE390X	HP 90X High Yield Black Original LaserJet Toner Cartridge (~24,000 pages)			
CF064A	HP LaserJet CF064A 110V Maintenance Kit			
CF065A	HP LaserJet CF065A 220V Maintenance Kit			

Services

HP LaserJet Enterprise 600 Printer M603 series

HY749E - HP 3 year Next Business Day + DMR LaserJet M603 HW Support HZ617E - HP 4 year Next Business Day + DMR LaserJet M603 HW Support HZ618E - HP 5 year Next Business Day + DMR LaserJet M603 HW Support HS403PE - HP 1 year Post Warranty Next Business Day + DMR LaserJet M603 Support HS404PE - HP 2 year Post Warranty Next Business Day LaserJet M603 Hardware Support UC742E - HP Network Install Mono-mid LaserJet SVC

²Automatic two-sided printing is only available on the HP LaserJet Enterprise 600 M603dh Printer and the HP LaserJet Enterprise 600 M603h Printer. The Automatic Two-sided Printing Accessory may be purchased separately for the HP LaserJet Enterprise 600 M603h Printer. Additional 1 x 500-sheet paper tray available on the HP LaserJet Enterprise 600 M603h Printer. The Automatic Two-sided Printing Accessory may be purchased separately for the HP LaserJet Enterprise 600 M603h Printer. The 1 x 1500-sheet high-capacity input tray may be purchased separately for the HP LaserJet Enterprise 600 M603h Printer series. ¹³Solutions deployed through the hardware integration pocket may require additional purchase. ¹⁶Energy data used to calculate savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method vs. a majority of worldwide top-selling competitive models <52.299 as of March 2011 using data reported in energystar, oav and eu-energystar, oar and eu-energystar, oar as of July 2011. Data extended to one year. Actual results may vary.

HP LaserJet Enterprise 600 Printer M603 series

Technical Specifications	HP LaserJet Enterprise 600 Printer M603n(CE994A)	HP Laser Jet Enterprise 600 Printer M603dn(CE995A)	HP LaserJet Enterprise 600 Printer M603xh(CE996A)		
AIO functions		Print			
Print speed		Letter: Up to 62 ppm black; ¹ ; First Page Out Black: As fast as 8.5 sec; ²			
Print resolution		Black (best): Up to 1200 x 1200 dpi			
Print Technology	Laser; Prir	nt Resolution Technologies: HP ProRes 1200, HP FastRes 1200, HP REt, 600	dpi, 300 dpi		
Print Cartridges Number		1 (black)			
Standard Print Languages	HP PCL 6, HP PCL 5 (H	P PCL 5 driver available from the Web only), HP postscript level 3 emulation, na	tive PDF printing (v 1.4)		
Printer Smart Software Features	HP ePrint; HP Auto-On/Auto Off Technology; HP EcoSMART Console; HP FutureSmart Firmware; Walk-up USB; 4-line color display control panel; HP Web Jetadmin; HP Universal Print Driver (UPD); Hardware Integration Pocket; 10 Key control panel		HP ePrint; HP Auto-On/Auto Off Technology; HP EcoSmart Console; HP FutureSmart Firmware; Walk-up USS; 4-line color display control panel; HP Web Jetadmin; HP Universal Print Driver (UPD); Hardware Integration Pocket 10 Key control panel; HP High Performance Secure Hard Disk		
Printer Management		HP Web Jetadmin; HP SureSupply; HP Utility (Mac)	1		
Standard Connectivity	1 Hi-Speed USB 2.0; 1 Gigabit Ethernet; 2 External Host USB (1 w	/alk-up and 1 external accessible); 2 internal Host USB 2.0-like ports (for 3rd pa	rty connection); 1 Hi-Speed USB 2.0 HIP (for 3rd party connection)		
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Ba	ase-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and G	gabit Ethernet; IPsec (standard); 802.11b/g/n wireless networking (optional)		
Network Ready	Standard (built-in Gigabit Ethernet)				
Wireless Capability	Optional, enabled with purchase of a hardware accessory				
Mobile Printing Capability	HP ePrint, Apple AirPrint™				
Memory	Standard: 512 MB: Maximum: 1 GB				
Processor Speed	800 MHz				
Duty Cycle	Monthly, letter: Up to 275,000 pages ³ . Recommended Monthly Page Volume: 5000 to 20,000 ⁴				
Paper Handling	Input Capacities: 100-sheet multipurpose tray 1; 500-sheet input tray 2; Up		Input Capacities: 100-sheet multipurpose tray 1; 500-sheet input tray 2;		
	x 14 in; Optional Custom media cassette: 4.02 x 5.83 to 6.69 x 11.10 in	Peeder: Yes, 75; Standard Paper Trays: 2, Media TypeS Supported: Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light); envelopes: labels: cardstock transparencies; shelf edge labels; user-defined; Media Weight Supported: Multipurpose tray 1: 16 to 53 lb; Tray 2, optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray, 16 to 32 lb; Optional Envelope feeder: 20 to 28 lb; Duplexer: 16 to 32 lb; Media Sizes Supported: Multipurpose tray 1: letter, legal, executive, statement, 85 x 13 in, 3x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelope (commercial No. 9, No. 10, Monarch), US postcard; Tray 2, optional 500-sheet input tray; letter, legal, executive, 8.5 x 13 in, in yotional 1500-sheet High-capacity input tray tetre, legal, executive, 8.5 x 13 in, optional 1500-sheet High-capacity input tray, etc., legal, Media Sizes Custom: Multipurpose tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional 500-sheet input tray; 5.83 x 8.27 to 8.5 x 14 in; Optional Custom media cassette: 4.02 x 5.83 to 6.69 x 11.10 in	S00-sheet input tray 3, Automatic duplexer for two-sided printing: Up to 110 sheets standard labels legal; Output Capacities : 500-sheet output bin; Up to 600 sheets (500 in the face down bin, 100 in rear face up door) standard labels legal; Duplex Options : Automatic (standard): Envelope Feeder : Yes, 75; Standard Paper trays : 3; Hedia Types Supported : Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light); envelopes; Jabels; cardstock; transparencies; shelf edge labels; user-defined; Media Weight Supported : Multipurpose tray 1:16 to 32 lb; Optional TsoDesheet High-capacity input tray: 16 to 32 lb; Optional Custom medi cassette: optional 1500-sheet High-capacity input tray: 16 to 32 lb; Optional Envelope feeder: 20 to 28 lb; Duplexer: 16 to 32 lb; Media Sizes Supported : Multipurpose tray 1:2 stor 3: No. 10, Monarch), US spotard; Tray 2, 3: 16 ta 5: No. 13; No. 10, Monarch), US spotard; Tray 2, 3: 16 to 3: Commercial No. 9, No. 10, Monarch), US spotard; Tray 2, 3: 16 to 3: Commercial No. 9, No. 10, Monarch), US spotard; Tray 2, 3: 5: 16 s. X a 10; roptional 1500-sheet High-capacity input tray: 16 to 32 lb; Media Sizes Supported : Multipurpose tray 1: 20 to 5: 10. 5: X a 10; roptional 1500-sheet High-capacity input tray; 16 to 32 lb; Media Sizes Supported : Multipurpose tray 1: 20 to 5: 10. 5: X a 10; roptional 1500-sheet High-capacity input tray; 2: 16 tray 2: 2: 10 to 2: 2: 2: 10. 5: 2: 10; roptional 1500-sheet High-capacity input tray; 2: 3: 5: 83 x 8: 7 to 8: 5 x 14 in; Optional Custom media cassette: 4: 02 size 5: 8: 5: 10 size 5: 0: 10 size 5: 10 si		
Product Dimensions	W x D x H: 16.3 x 16.9 x 15.7 in; Maximum: 16.3 x 30.2 x 15.7 in 52.1 lb	W x D x H: 16.3 x 20 x 15.7 in; Maximum: 16.3 x 30.2 x 15.7 in	72.1 lb		
Product Weight		57.8 lb			
What's in the box	Printer; Right-angled power cord; Software and documentation on CD-ROM; HP Black Laser Jet Toner cartridge (~ 10,000 pages); Getting Started Guide; Support flyer; HP ePrint flyer; Warranty Guide (where applicable) M603dm: plus automatic duplexer for two-sided printing, M603xh: plus automatic duplexer for two-sided printing and 500-sheet input tray				
Warranty Features	One-year, next business day, on-site limited warranty				
Energy Efficiency Compliance	ENERGY STAR® qualified; EPEAT® Silver				
Control Panel	2.29 x 5.33 cm 4-line color LCD display, 3 LED lights (Attention, Data, Ready), buttons (Information, Stop/Cancel, Return, Home, Folder, Left Arrow), 10 numeric keys				
Display Description	4-line LCD (color text and graphics)				
Software Included	Windows Installer, HP PCL 6 discrete driver; Mac Installer, PostScript driver				
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Compatible Operating Systems	Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2008 (SP1+), Windows Server 2008 (all 32-bit and 64-bit), Windows Server 2008 R2 (64-bit); Mac 05 X v10.5, 10.6, 10.7; Citrix and Windows Terminal Services (see System Administrator's Guide at hp.com/go/upd, Documentation tab for latest support); Novell (see novell.com/print for latest support); Linux (see hplicane); UNIX (see hp.com/go/unix, hp.com/go/unixmodelscripts, and hp.com/go/iedirdercturus, software); SAP device types (see hp.com/go/sap/drivers and hp.com/go/sap/print)				
Compatible Network Operating Systems	Windows 7, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (all 32-bit and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.5, 10.6, 10.7; Citrix and Windows Terminal Services (see System Administrator's Guide at http://www.hp.com/go/upd, Documentation tab for fatest support); Novell (see http://www.np.cem/go/apd/ins), http://www.hp.com/go/apd/ins),				
Minimum System Requirements	PC: Windows 7, Windows Y, Windows X, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see: http://www.apple.com				
Power	Power Supply Type: Internal (Built-in) power supply. Power Requiremen 220-volt input voltage: 220 to 240 VAC (+/- 10%), S0/60 Hz (+/- 3 Hz) (Not du Power Consumption: 920 watts (printing), 21 watts (ready),	Power Supply Type: Internal (Built-in) power supply; Power Requirement 110-volt input voltage: 100 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); (Option #AA2) 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 H (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Power Consumption: 920 watts (printing), 21 watt (ready), 5.5 watts (sleep), 1.0 watt (auto-off), 0.3 watts (manual-off) ⁵			
	Acoustic Power Emissions: 7.1 B(A); Acoustic Pressure Emissions: 57 dB(A) ⁶				
Acoustics					
Acoustics Operating Environment	Operating Temperature Range: 59 to 89.6°F; Recommended Operating Te	Acoustic Power Emissions: 7.1 B(A); Acoustic Pressure Emissions: 57 dB(A) mperature: 59 to 89.6%; Storage Temperature Range: -22 to 140%; Non-C 80% RH; Recommended Humidity Operating Range: 10 to 80% RH tication (EAP-PEAP; EAP-TLS), IPP over TLS, IPser/Firewall with Certificate, Pre-	perating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to		

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²First page out time is measured from Tray 2. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²First page out time is robustness in relation to other HP Laser/tet or HP Color Laser/tedvices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴HP recommends that the number or printed pages per month of imaged output. This value printer application, driver, and document complexity. ³Fower requirements in relation to other HP Laser/tet or HP Color Laser/tedvices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴HP recommends that the number or printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁵Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and wills of SOT779 and declared in according to 150 T779 and declared in according to 150 T779 and declared in according to printer davies. For current information, see thttp://www.hp.com/suppri.Com/iguration tested: HP Laser/Let Declared in printer davies per more subject to change. For current information, see thttp://www.hp.com/suppri.Com/iguration tested: HP Laser/Let Declared in printer davies performance.

Learn more at hp.com

© Copyright 2011-2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark or Microsoft Corporation in the United States and/or other countries.